
Wall and Ceiling Products

Moisture and Corrosion Proof Panels



Car Wash

24" P2400 Flat Panel 16" P1600 Flat Panel 12" P3000 Beaded Panel (Top) 12" P1300 Flat Panel (Bottom)

Extrutech Plastics Inc., provides high-quality, moisture and chemical-resistant products for walls and ceilings, to a wide variety of markets. We have a dedicated, focused staff that is always available to help you determine which of our products best meet the needs of your commercial, residential, or agricultural projects. From initial inquiry through delivery, our staff is here to serve you. Since 1992, we have been committed to developing a product line that will serve our customers, with great looking, cost-effective products that fit their special requirements. From sun rooms to clean rooms, we have a product that will cover your needs! We are constantly developing innovative ways to improve current methods and develop new products that meet the needs of our customers.

"ISO 9001:2015 QMS" Certified

www.epiplastics.com





Milking Parlo

Sun Room

P3000 Panel



P3000 PANELS are made with 100% virgin, exteriorgrade PVC; the 12" wide P3000 beaded wall & ceiling panel has a tongue-and-groove design with a hidden nailing fin along one side that makes installation quick and easy, with no exposed fasteners. For instructions on installation visit www.epiplastics.com. All panels are cut to customers' requested length, up to 20 feet. They are easy to clean, durable, never need paint and will not rot or rust. Panels are 100% recyclable and do not support mold or mildew per ASTM D3273 and D3274. CSI- Master Format # 06600 (06 64 00) Meets ASTM E84-05 and CAN/ULC S102.2-03 Class A rating for smoke and fire Twenty year warranty

Beaded Panels For Walls and Ceilings

P3000 Beaded Panels are 12 inches wide and available in custom lengths and an assortment of colors. Can be used in a variety of applications, such as wainscoting for kitchens and baths or around your pool or sun room. Great as a ceiling for your porch or other rooms that you would like to have a crisp, clean, professional look.











PRODUCT DATA:

- Dimensions: 1/2 in. x 12 in. x 4 ft.-20 ft.
- Colors: white, gray, beige and wood grain
- Weight: .69 lbs./ft.
- Class A rating for smoke and fire
- Twenty year warranty

FEATURES:

- High gloss smooth finish or matte finish
- Never needs paint
- Durable and impact resistant
- Closed cell structure that will not absorb water
- High UV protection, colorfast
- Will not rot, resists mold, mildew, salt, insects
- Custom lengths available

P3000 Panel



RECOMMENDED USES:

• Commercial buildings: car washes, schools, food stands, indoor swimming pool areas, garden centers

• Residential: kitchens, bathrooms, garages, basements, family rooms, pool areas, porches, sun rooms

- Agricultural facilities: veterinary clinics, dairy barns, milking parlors
- Any wall and/or ceiling that requires good looks and low maintenance
- In high moisture, salty, or acidic areas

STORAGE AND HANDLING:

For P1300, P1600, P3000, P2400 Panels

Material is shipped common carrier in standard packaging containing 5 panels per poly-bag. Store flat in a clean, dry area till ready to use.

AVAILABLE TRIMS:

For P1000, P2000, P1300, P1600, P2400, P3000 Panels
Product information on the trims shown and other trims can be found on our web site. Colored trims are available for all panels.




Car Wash

Colors: Beige, Gray, Cedar Wood Grain













P1300 Panel P1600 Panel




12"/16" Flat Panel

For Walls and Ceilings

P1300/P1600 Flat Panels have a smooth

reflective surface that dramatically improves overall reflective lighting. The 12" and 16" wide panels are available in custom lengths to fit your project requirements. It creates a great looking ceiling for areas that are corrosive, high moisture or that require surfaces that are easy to clean while maintaining a fresh appearance.



Car Wash Ceiling & Walls







P1300 / P1600 PANELS are made with 100% virgin, exteriorgrade PVC; the wall and ceiling panels have a tongue-and-groove design with a nailing fin along one side that makes installation guick and easy, with no exposed fasteners. For instructions on installation visit www.epiplastics.com. All panels are cut to customers' requested length, up to 20 feet. They are easy to clean, durable, never need paint and will not rot or rust. Panels are 100% recyclable and do not support mold or mildew per ASTM D3273 and D3274.

CSI- Master Format # 06600 (06 64 00).

Meets ASTM E84-05 and CAN/ULC S102.2-03 Class A rating for smoke and fire.

PRODUCT DATA:


- Dimensions: 12" Panel 1/2 in. x 12 in. x 4 ft.-20 ft. 16" Panel 1/2 in. x 16 in. x 4 ft.–20 ft.
- · Colors: white, blue, yellow, red, green, gray, beige and wood grain
- Weight: .69 lbs./ft.
- Twenty year warranty



24" / 36" Wall Panel

System For Partition Walls

EPI9000 and P224 Panels allow you the flexibility to construct interior demountable walls faster and easier. From equipment enclosures to clean room partitions, the 24" and 36" wide panels are available in custom lengths to fit your project requirements and are perfect for corrosive or high moisture areas.







Demountable PVC Wall System is a product that allows you the flexibility to construct interior walls faster and easier, wherever interior partition walls are required. Durable, strong multi-chamber, interlocking wall panels made of rigid, virgin polymers are easy to assemble, all parts pre-cut. With a finished surface on both sides of panel, it never needs painting.

- Low maintenance, easy to clean, just spray off with water/cleaner
- Custom sizes and insulated panels available
- Moisture and rot proof, mildew resistant
- Brightens the interior of any building
- Termite resistant

RECOMMENDED USES:

- · Commercial buildings: food processing, clean rooms, car washes
- · Agricultural facilities, dairies, marijuana grow facilities
- Any wall and ceiling that requires good looks and low maintenance
- In high moisture, salty, or acidic areas

PRODUCT DATA:

- Dimensions: EPI 9000 1 3/4 in. x 36 in. x 4 ft.-20 ft. P224 2 1/4 in. x 24 in. x 4 ft.-20 ft.
- Colors: white, gray, beige
- Weight: EPI 9000 1.75 lbs./sq ft.
- P224 2.0 lbs./sqft.
- Fifteen year warranty





www.epiplastics.com Phone: 888.818.0118 Fax: 920-684-4344 E-mail: info@epiplastics.com











P1000 4in. V-Grooved Panel



ZMP Panels For Walls and Ceilings

P1000 and P2000 ZMP Panels

(Zero Maintenance Panels) offer a visual alterative from the larger beaded and flat panels. 4 and 6 inches wide and available in custom lengths, ZMP panels create a classy looking, easy to clean wall or ceiling for corrosive or high moisture areas.



P1000 PANELS' smooth bright surface quickly sheds water. Made with 100% virgin, exterior-grade PVC; the 4" wide P1000 wall panel has a tongue-and-groove design with a nailing fin along one side that makes installation quick and easy, with no exposed fasteners. For instructions on installation visit www.epiplastics.com. They are easy to clean, durable, never need paint and will not rot or rust.

PRODUCT DATA:

- Dimensions: 1/2 in. x 4 in. x 4 ft.-20 ft. long
- Colors: white, gray, beige and wood grain•Weight: .25 lbs./ft.

P2000 PANEL, with its matte surface, is made with 100% virgin, exterior-grade PVC; is 6" wide, has a tongue-and-groove design with a nailing fin along one side that makes installation quick and easy, with no exposed fasteners. For instructions on installation visit www.epiplastics.com. They are easy to clean, durable, never need paint and will not rot or rust. Both panels are 100% recyclable.

PRODUCT DATA:

- Dimensions: 1/2 in. x 6 in. x 4 ft.-20 ft. long
- Colors: white, gray, beige and wood grain•Weight: .40 lbs./ft.
- 20 year warranty

RECOMMENDED USES FOR P1000 AND P2000 PANELS:

- Commercial buildings: car washes, schools, food stands, milking parlors indoor pool rooms, garden centers, sun rooms, porches
- Any wall and/or ceiling that requires good looks and low maintenance



EXTRUTECH PLASTICS, INC.

24" Flat Panel For Walls

P2400 Flat Panels are made to cover a large area quickly. 24 inches wide and available in custom lengths to fit your project requirements. It also has a smooth reflective surface that improves overall reflective lighting. Creating a great looking, easy to clean wall for corrosive or high moisture areas, while maintaining a fresh appearance.



P2400 Panel



P2400 PANELS' bright white surface quickly sheds water. Made with 100% virgin, exterior-grade PVC; the 24" wide P2400 wall panel has a tongue-and-groove design with a nailing fin along one side that makes installation quick and easy, with no exposed fasteners. For instructions on installation visit www.epiplastics.com. All panels are cut to customers' requested length, up to 20 feet. They are easy to clean, durable, never need paint and will not rot or rust. Panels are 100% recyclable and do not support mold or mildew per ASTM D3273 and D3274. CSI- Master Format # 06600 (06 64 00). Meets ASTM E84-05 and CAN/ULC S102.2-03 Class A rating for smoke and fire. Twenty year warranty.

RECOMMENDED USES FOR P1300 AND P2400 PANELS:


• Commercial buildings: pharmaceutical process rooms, food processing, clean rooms, car washes, schools, food stands, indoor swimming pool areas, garden centers

- Agricultural facilities: veterinary clinics, dairy barns, milking parlors
- Any wall and ceiling that requires great looks and low maintenance
- In high moisture, salty, or acidic areas

PRODUCT DATA:

- Dimensions: 1/2 in. x 24 in. x 4 ft.-20 ft.
- Weight: 1.55 lbs./ft.







EXTRUTECH PLASTICS, INC.

Phone: 888.818.0118 Fax: 920-684-4344 E-mail: info@epiplastics.com

Providing high quality products and services to our customers for their wall and ceiling needs.



5902 West Custer Street, Manitowoc, WI 54220 • Phone: 888.818.0118 • Fax: 920-684-4344 • E-mail: info@epiplastics.com