Extrutech Wall Panels

Brighten Your Car Wash Bays with Panels from EXTRUTECH



These highly-reflective panels are ideal for high-moisture areas because they are water-proof! Panels install quickly and easily, with no exposed fasteners. Available in widths of 12- and 24-inches and cut to length from 4 to 20 feet, to fit your building. These panels are stain-resistant, low-maintenance and easy to clean (when required). Use in self-serves, automatics and tunnels.

2007
Mid-Atlantic
Carwash
Association
Trendsetting
Product of the
Year

Wall and Ceiling panels meet ASTM E84-05 and CAN/ULC S102.2-3 Class A rating for smoke and fire.





P2400 24" Wall Panel





Phone 888-818-0118 FAX 920-684-4344 Email: info@epiplastics.com EXTRUTECH PLASTICS, INC. www.epiplastics.com





12-inch Flat Panel

For Ceilings and Walls

P1300 Flat Panels have a smooth, glossy surface that dramatically improves overall reflective lighting. P1300 Panels are 12-inches wide and available in custom lengths to fit your project requirements. Flat panels create a great looking ceiling for areas that are corrosive or high in moisture. Many area applications benefit from the use of P1300 panels in that these panels are easy to clean while maintaining a fresh appearance.

P1300 12-inch Flat Panels and P2400 24-inch panels are extruded from 100% virgin, exterior-grade PVC. Both panel sizes have a tongue-and-groove design with a nailing fin along one side that makes installation quick and easy – with no exposed fasteners.


For instructions on installation, visit www.epiplastics.com. All panels are cut to customers' requested length – up to 20 feet. Panels are easy to clean and durable – never need painting and will not rot or rust. Panels are 100% recyclable (green) for the environment and do not support mold or mildew per ASTM D3273 and D3274.

CSI-Master Format# 06600 (06 64 00). (P1300, P2400) Ten year warranty. Meets ASTM E84-05 and CAN/ULC S102.2-03 Class A for smoke and fire.

PRODUCT DATA: P1300 Wall and Ceiling Panel

• Dimensions: 1/2 in. x 12 in. x 4 ft.- 20 ft.

• Weight: .70 lbs/ft





Phone 888-818-0118 FAX 920-684-4344 Email: info@epiplastics.com

www.epiplastics.com

24-inch Flat Panel

For Walls

P2400 Flat Panels are made to cover large areas quickly. Panels are 24-inches wide and available in custom lengths to fit your project requirements. Panels have a smooth, glossy surface that improves overall reflective lighting. Creates a great-looking, easy-to-clean wall for corrosive or high-moisture areas while also maintaining a fresh, clean appearance. Install panels faster with half the seams. Be more productive and profitable!



PRODUCT DATA: P2400 Wall Panel • Dimensions: 1/2 in. x 24 in. x 4 ft.- 20 ft.

• Weight: 1.55 lbs/ft

Meets ASTM E84-05 and CAN/ULC S102.2-03 Class A for smoke and fire.













A Better Way to Brighten Your Bays!







Install Extrutech Wall and Ceiling Panels!

Are you looking for a better way to brighten your walls and ceilings? Need something that can help lower your lighting bill? Prevent salt and cleaners from eating away at your walls? Reduce the amount of time spent washing your walls? Use milder cleansers to keep them sparkling clean and bright? Have a safer, brighter environment?

If so, we've got what you need!



Extrutech Plastics, Inc. • 5902 West Custer Street • Manitowoc, WI 54220 162,000 square foot plant

Providing high-quality products and services to our customers for their wall, ceiling and door needs since 1992.







Extrutech
PVC Doors





